

INDIANA.

N & E 2 P. M.

Diagram of Sec. 19, T. 38 N, R. 15 E, 2nd Mer. Ind.

Meander of Lake
in Sec. 19, began
at post on line
between 19 & 20
thence in Sec. 19

13	N 1 E	9.02
	S 63 W	8.50
	S 56 W	5.50
	S 82 W	2.50
	N 52 W	7.00
	N 70 W	6.50
	N 32 W	20.00
	N 32 W	10.00
	N 25 E	6.00
	N 79 E	18.00
	N 40 E	7.00
	N 73 E	4.50
	N 32 E	16.00
	N 92 E	14.00
	N 56 E	17.20
	N 51 E	4.00
12	N 92 E	9.00

Resurveyed by R. J. Dawson 15th May 1833

The above diagram of Sec. 19, T. 38 N, R. 15 E, 2nd Meridian, Indiana, is strictly conformable to the field notes of a resurvey of said section made by Reuben S. Dawson D.S. and approved by M. J. Williams Sur. Genl in the year 1833, which field notes are now on file in this office.

Surveyor General's Office

Detroit, October 21, 1833,

Lucius Lyon, Sur. Genl.

15
Diagram of Sec. 19. T. 38 N., R. ~~15~~ E. 2nd Mer. Ind.

1.23



Resurveyed by R. J. Dawson D.S. 15 May 1833.

I certify that the above diagram of sec 19 T. 38 N.
R. 15 E. is a true copy from the original plat
on file in this office.

Surveyor General's Office, } Lucius Lyon,
Detroit Oct. 21. 1848.

Sut. Kent

4750
3860
8610
80
16610

115672
103365
57435
276472


Township No XXXVIII North, Range No XV East 2nd Meridian.

E. Brockville

When Tract Sec 19 is offered
notify Ira Wilbur, Camden,
Hillsdale Co. Michigan
and Mrs Elizabeth Wells,
Trenton Pa.
Stearns Co. Ia

North Boundary of Indiana.

North East Corner of Indiana.



Surveyed in July 1831 by Edward H. Lytle D.S.

A true copy of the original plat, filed in this Office.

Surveyor General's Office.
Dec. March 5th 1832. M. T. Williams

[Indiana]

V. 23

Sections	Per.	Acres	Sections	Per.	Acres
N. fr. Sec. 16	392	17			
S. fr. Sec. 17	170				
NE NE 17	60	70			
SE NE 17	80				
NE NW 17	60	50			
SE NW 17	80				
SE 17	160				
SE SW 17	79	15			
WE SW 17	54	35			
NE NE 18	60	57			
SE NE 18	80				
NE NW 18	70	80			
SE NW 18	80				
SE 18	120	70			
SE SW 18	160				
NE NW 19	80	50			
SE NW 19	48	20			
SE NW 20	47	50			
SE NW 21	38	60			
SE NW 22	62	99			
SE NE 20	58	35			
WE NE 20	80	40			
SE NE 21	67	45			
SE NE 21	65	30			
SE NW 21	63	65			
WE NW 21	69	36			
WE NW 21	74	75			
SE SW 21	76	40			
SE SW 21	160				
SE NE 28	77	20			
SE NE 28	80	28			
WE NE 28	320				
SE NE 29	78	70			
WE NE 29	61	45			
SE NW 29	66	35			
WE NW 29	67	80			
SE 29	320				
SE NE 30	66	75			
WE NE 30	75	60			
NE NW 30	160				
SE NW 30	320				
SE 30	640				
SE 30	640				
WE NW 30	320				
SE NE 31	81	92			
SE NE 31	82	56			

2764 72
1640
320
4724 72
545 35
780 72
6051 02
880
869 72
780 02
259 11

This card is not a part of the official plat.

Received with Surveyor General's letter of _____

Report No. _____

Posted in Division "O" _____

Triplicate plat filed with R. and R. _____


Miscellaneous See to Mrs B. M. Beecher, Oct 18, 1917

735990 ul. to island in lake in sec 28

6-2680

Duplicate.

PLAT OF AN ISLAND IN
CLEAR LAKE
SECTION 19, T. 38 N. R. 15 E. 2ND P. M.
INDIANA.



Department of the Interior,
General Land Office

March 18, 1884.

The above Diagram of an Island in Clear Lake, in Section 19. T. 38 N. R. 15 E. 2nd. Principal Meridian, in the State of Indiana, is a correct Plat of Survey executed by Murray Knowles, U.S. Deputy Surveyor, in pursuance of Instructions from the Commissioner of the General Land Office, bearing date the 28th. day of Dec. 1883, and is strictly conformable to the field notes thereof, which have been examined and approved

Original plat and field notes transmitted
to Auditor of State, Indianapolis, Ind.,
March 22, 1884; filed triplicate
plat with book keeper, in Division C,
March 21, 1884.

McClanahan
Commissioner
and Ex Officio Surv^r Gen^l of Indiana.